
















## The design of Filter Cartridges Adapter types The design of Filter Capsules

	<p><b>A</b></p> <p>dead end, with <math>\varnothing 44.5</math> mm adapter, disk plug</p>	
	<p><b>A1</b></p> <p>dead end, with <math>\varnothing 44.5</math> mm adapter, tail plug (penpoint)</p>	
	<p><b>A4</b></p> <p>dead end, with long <math>\varnothing 44.5</math> mm adapter; with triple bayonet in the lower part and tail plug in the upper part (penpoint)</p>	
	<p><b>B(SL)</b></p> <p>inline, without adapter, with O-rings for Slime Line filter housings</p>	
	<p><b>B</b></p> <p>inline, without adapter</p>	
	<p><b>D</b></p> <p>dead line, with <math>\varnothing 56</math> mm adapter, disk plug</p>	
	<p><b>D1</b></p> <p>dead line, with <math>\varnothing 56</math> mm adapter, tail plug (penpoint)</p>	



### Nominal Dimentions

Element type	ØA, mm	ØB, mm	ØC, mm	L, mm	L1, mm	H, mm
A	71.5±0.5	44.5±0.1	50	244.0±1	266.5±2	-
A1	71.5±0.5	44.5±0.1	-	24.0±1	310.0±2	-
A4	71.5±0.5	44.5±0.1	-	244.0±1	319.0±2	-
B	71.5±0.5	-	45	244.0±1	248.0±2	-
B[SL]	71.5±0.5	-	51	244.0±1	250.0±2	-
D	71.5±0.5	56.0±0.1	50	244.0±1	273.0±2	-
D1	71.5±0.5	56.0±0.1	-	244.0±1	316.5±2	-
Mini capsule	54.0±0.2	9	-	-	-	102.5±1
Capsule 60 thread	92.0±0.2	K 1/2" thread	-	-	-	125.0±1
Capsule 60 clamp	92.0±0.2	50.5	-	-	-	132.0±1
Capsule 125 thread	92.0±0.2	K 1/2" thread	-	-	-	193.0±1
Capsule 125 clamp	92.0±0.2	50.5	-	-	-	200.0±1
Capsule 250 clamp	93.5±0.4	50.5	-	-	-	325.0±1